

VANTAGE INDIA PRIVATE LIMITED

Corporate Office: Shop No. 336, 3rd Floor, V Mall, Thakur Complex,
Western Express Highway, Kandivali (E), Mumbai - 400 101

P: +91 22 28976425 / +91 99303 16425 / +91 91468 44712 / +91 82919 28325

Branch Office: 152, 8th Main, 8th Cross, Canara Bank Layout, Bangalore - 560 097

P: +91 83103 41257 / +91 77602 73009

E: info@vantageindia.in, W: www.vantageindia.in

CIN No.: U28999MH2020PTC337420



MODULAR GLASS PARTITION | ARCHITECTURAL HARDWARE

COMMITMENT TO EXCELLENCE




PERFORMANCE CERTIFICATE

SOUND TRANSMISSION

Sound transmission loss test results of Vantage Single glaze partition system with 10mm float glass and 10mm float glass door tested as per ISO 10140 - 2/ ASTM E90 using Reverberation chambers at ARAI, India

Test report No. NVH/7842/2017-18/590(V-5)

One Third Octave Frequency, Hz	Sound Transmission Loss, dB	Standard deviation, dB
100	25.7	0.2
125	27.5	0.2
160	28.7	1.5
200	28.0	1.2
250	29.0	0.5
315	32.5	0.7
400	34.3	1.1
500	35.3	1.1
630	36.5	0.7
800	37.2	0.6
1000	34.7	0.7
1250	29.2	0.8
1600	28.1	0.6
2000	32.0	0.3
2500	34.7	0.1
3150	37.1	0.3
4000	39.6	0.7
5000	41.6	0.1
6300	44.0	0.3
8000	45.0	0.2
STC	32	-
R _w C _{tr}	34(-1;-2)	-



The sound transmission class (STC) is calculated as per ASTM E-413 and weighted sound reduction index with spectrum adaptation terms R (C) is calculated as per ISO 717-1

Sound transmission class (STC)	32 dB
Weighted sound reduction index with spectrum adaption terms R _w (C ₁₀₀₋₅₀₀₀ ;C _{tr100-5000})	34 (-1;-2) dB



Add: Shop No. 336, 3rd Floor, V Mall, Thakur Complex, W. Express Highway, Kandivali (East), Mumbai-101
P: + 91 22 28976425/+ 91 99303 16425
E: info@vantageindia.in, W: www.vantageindia.in

01

About Us

03

Fine Glaze

07

Slim Glaze

11

Side Glaze

15

Ultra Glaze

19

Wide Glaze

23

Wide Double Glaze

27

Style Door

31

Technical Panel

33

Sliding Door

35

Sliding Folding Door

37

Architectural Hardware

41

Accessories

45

Clients

Table Of
Content



Page 07
Slim Glaze



Page 23
Wide Double Glaze



Page 31
Technical Panel



ABOUT US

VANTAGE is among the pioneering suppliers of Architectural Products and Service for interior spaces. Our products are essential elements for modern, beautiful and functional interior environments. We assist Architects and Designers by providing a wide range of solutions for each individual project.

Vantage 'Modular Glass Partition Systems are a suitable solution for creating new commercial, hospital and industries space arrangements and separating work places, taking into consideration the changing needs of office premises. Vantage systems have a modular design which makes it easy to install and if necessary re-arrange or move the partition. To give a consistent and finished look to the workspace Vantage also provides aluminum skirting, interior accessories like corner guards, hat profiles, step nose, leveling profiles and also solid and glass door hardware which go hand in hand with our movable partition systems both aesthetically and quality-wise to provide a flawless and elegant end product. Beside our existing systems we continuously research the market for any application or requirement which can set us apart and benefit us as well as the end customers.

Vantage is also committed for the research and application of energy conservation, acoustics, environment protection and in creating a comfortable surrounding for all its clients.

VISION

We promise to provide customer oriented solutions with the best products, services, pricing and hence build a strong trustworthy relationship with our clients and make Vantage the first choice for all our customers.

MISSION

To thoroughly assess each requirement and to ensure that we not only meet but exceed client expectations by providing the most efficient solutions via effective use of our products and service.


APPLICATIONS

Modular Glass Partition Systems, Aluminum Skirting and other interior accessories and door hardware offered by Vantage are widely used for optimization and compartmentalization of work-space across various, professional fields such as - Corporate Offices, Bank, Research Laboratories. Educational Universities, Building Entrance Systems, Industrial Manufacturing Facilities, Conference/ Convention Halls, Hospitals and Clinics. Besides these professional applications our products have also been applied in modern/smart home designs as home owners today are keen on non-conventional styles of home interior design.







FINE GLAZE

Vantage Fine Glaze modular aluminum single glaze partition system offers a seamless look and lays more emphasis on the glass, it is recyclable and lightweight. It consists of a section dimension of 25mm x 25mm, 25mm x 40mm and is a clip on system for easy glass installation.

- Profile: 25mm x 25mm, 25mm x 40mm
- Silver/Black/other anodised finishes available
- Glass thickness supported: 10mm and 12mm
- Single Glazing
- Acoustical Insulation: 32 dB
- Partition height upto 3000mm
- Curve profile available




FINE GLAZE











SLIM GLAZE

Vantage Slim Glaze modular aluminum single glaze partition system offers a midway between a sleek and mechanically strong design while being very cost effective. It consists of a section dimension of 25mm x 45mm, 25mm x 35mm and is a clip on system for easy glass installation.

- Profile: 25mm x 45mm, 25mm x 35mm
- Silver/Black/other anodised finishes available
- Can be used for door frame with cover or rebate profile
- Glass thickness supported: 8mm, 10mm and 12mm
- Single Glazing
- Acoustical Insulation: 32 dB
- Partition height upto 3000mm
- Curve profile available



SLIM GLAZE










SIDE GLAZE

Vantage Side Glaze modular aluminum single glaze partition system is set apart from the rest as it is designed to place the partition glass at an offset from the center which gives a seamless look from outside the cabin while offering good strength due to its width. It consists of a section dimension of 25mm x 53mm and is a clip on system for easy glass installation.

- Profile: 25mm x 53mm
- Silver/Black/other anodised finishes available
- Can be used for door frame with cover or rebate profile
- Glass thickness supported: 10mm and 12mm
- Single offset Glazing
- Acoustical Insulation: 32 dB
- Partition height upto 3000mm



SIDE GLAZE










ULTRA GLAZE

Vantage Ultra Glaze modular aluminum single glaze partition system is designed to nullify any undulations that occur in gypsum partitions which are of 75mm width as an industry standard and tend to never be straight edged which steals from the aesthetics of the partition system. Due to its heavy profile the system offers brilliant rigidity. It consists of a section dimension of 25mm x 80mm and is a clip on system for easy glass installation.

- Profile: 25mm x 80mm
- Silver/Black/other anodised finishes available
- Can be used for door frame with cover or rebate profile
- Glass thickness supported: 8mm, 10mm and 12mm
- Single Glazing
- Acoustical Insulation: 32 dB
- Partition height upto 3000mm



ULTRA GLAZE










WIDE GLAZE

Vantage Wide Glaze modular aluminum single glaze partition system offers the best rigidity and strength due to its heavy profile. It is also aesthetically pleasing due to the glass to profile ratio. It consists of a section dimension of 25mm x 100mm and is a clip on system for easy glass installation.

- Profile: 25mm x 100mm
- Silver/Black/other anodised finishes available
- Can be used for door frame with cover or rebate profile
- Glass thickness supported: 8mm, 10mm and 12mm
- Single Glazing
- Acoustical Insulation: 32 dB
- Partition height upto 3000mm



WIDE GLAZE






WIDE DOUBLE GLAZE

Vantage Wide Double Glaze modular aluminum single glaze partition system offers high strength and rigidity. However its main purpose is to provide the best sound insulation by adding an extra layer of glass and also an air gap between the two glass layers. It consists of a section dimension of 25mm x 100mm and is a clip on system for easier glass installation.

- Profile: 25mm x 100mm (Dual track)
- Silver/Black/other anodised finishes available
- Can be used for door frame with cover or rebate profile
- Glass thickness supported: 10mm and 12mm
- Double Glazing
- Acoustical Insulation: 40 dB
- Partition height upto 3000mm



WIDE DOUBLE GLAZE











STYLE DOOR

Vantage Style door frame is the new alternative for the aging solid wooden door with similar sound insulation abilities at a relatively better price point. It can be used as a swing as well as a sliding door. It consists of a 42mm x 75mm / 35mm x 60mm profile to be used as a four sided frame with a layer of glass within the frame.

- Profile: 42mm x 75mm / 35mm x 60mm
- Silver/Black/other anodised finishes available
- Single Glazed Door
- Glass thickness supported: 8mm & 10mm
- Acoustical Insulation: 30 dB
- Maximum single leaf dimensions: 2700mm (H) x 900mm (W)




STYLE DOOR



TECHNICAL PANEL

Vantage aluminum technical panel is used as a more aesthetic & cost effective alternate to traditional wooden and gypsum section. It is also used as an access control panel.






- Profile - 50mm x 100mm, 100mm x 100mm
- Silver/Black/other anodised finishes available
- Partition Height upto 3000mm



SLIDING DOOR

Vantage offers single/double leaf, style/frameless glass sliding doors with all necessary rollers, guides and sliding track. We have multiple designs of sliding tracks for various applications.




- Frame less and Style Shutter options available
- Silver/Black/other anodised finishes available
- Sleek look and smooth functioning
- Glass thickness supported: 10mm and 12mm
- Maximum single leaf dimensions: 2700mm (H) x 1000mm (W)




SLIDING FOLDING DOOR

Vantage make Sliding folding partition systems are used for room dividers which at a moments need can be set to one side allowing for the merger of the two or more divided rooms. This system comprises of our style door shutters (35mm x 65mm and 42mm x 75mm) with 10mm toughened clear glass.

- Frame less and Style Shutter options available
- Silver/Black/other anodised finishes available
- Sleek look and smooth functioning
- Glass thickness supported: 10mm
- Maximum single leaf dimensions: 3000mm (H) x 900mm (W)



ARCHITECTURAL HARDWARE



VFH - 5BB

STAINLESS STEEL FLUSH HINGES

Material : Stainless Steel 304

Type : Ball Bearing

Size : 5mm x 3mm x 3mm

Finish : Stainless Steel / Black

STUDIO GLASS DOOR LOCK

Suitable for 10mm / 12mm glass

Material : Aluminum

Finish : Silver / Black Anodized



VPSL - 101



VPDH - 104

GLASS DOOR HINGES

Maximum door weight : 80kg

Maximum door size : 900mm X 2400mm

Glass thickness : 10mm / 12mm

Material : Aluminum

Finish : Silver Anodized/Black Color

GLASS PIVOT HINGES

Maximum door weight : 80kg

Maximum door size : 900mm X 2400mm

Glass thickness : 10mm / 12mm

Material : Aluminum

Finish : Silver Anodized/Black Color



VPDH - 105



VTS - 02

OVERHEAD DOOR CLOSER

Maximum door weight : 80kg

Maximum door size : 900mm X 2400mm

Glass thickness : 10mm / 12mm

Material : Aluminum

Finish : Silver Anodized/Black Color

SADDLE PLATE

Suitable for 10mm / 12mm glass (Plate for mounting door closer on glass)

Material : Aluminum

Finish : Silver Anodized / Black Color



VTS - ACC - PLATE



VTS - 01

CONCEALED DOOR CLOSER

Maximum door weight : 80kg

Maximum door size : 900mm X 2400mm

Glass thickness : 10mm / 12mm

Material : Aluminum

Finish : Silver Anodized/Black Color

BOTTOM LOCK

Glass thickness : 10mm / 12mm

Material : Stainless Steel

Finish : Satin Finish / Black Color



VPSL - 101

ARCHITECTURAL HARDWARE



VMHL - 1910

NARROW STYLE MORTISE HANDLE

Material : Stainless Steel/Black Color
Finish : Satin Finish

NARROW STYLE MORTISE LOCK

Narrow style lock body for aluminum door with latch and double throw dead bolt



VML - 35mm x 85mm



VML - 35mm

NARROW STYLE DEAD BOLT


Close body dead bolt for aluminum door/wooden double throw dead bolt.
Finish : Silver Anodized/Black Color



VCNK - 60/70

CYLINDER

One side key one side knob with ultra key brass 60mm / 70mm



VSR - 01

SLIDING ROLLER

Roller for glass and solid door.
Door weight upto 40 kgs.

Q TYPE HANDLE

Material : Stainless Steel
Finish : Satin / Black Color
Length : 25mm x 450mm



VPHH - 2518

PULL HANDLE


Size : 25mm x 450mm
Material : Stainless Steel
Finish : Satin Finish / Black Color



VPHL - 2518

PANIC BAR

Push type, suitable for solid door.
Finish : Silver
Width : 800mm - 1200mm



VPB - 900mm / 1200mm

ACCESSORIES




VSP - 50/75/100mm

ALUMINUM SKIRTING

Finish : Silver / Black Anodized
Length : 3000mm
Height : 50mm / 75mm / 100mm

END CAP

Can be used with all types of corner
Finish : Grey / Black
Height : 100mm



VSP-END-50/75/100mm



VSPL - 60/80

ALUMINUM SKIRTING


Height : 60mm / 80mm
Length : 3000mm
Finish : Silver Anodized

GLAZING PROFILE

Finish : Silver Anodized
Height : 32mm
Length : 3000mm



VGP - 32




VGP - I - 10/12mm

ALUMINUM I PROFILE


Suitable for joining two glasses (180°)
transparent tape to be use on profile
for fixing glasses
Length : 3000mm
Finish : Silver / Black Anodized

ALUMINUM T PROFILE

Suitable for joining three meeting at a
common point, transparent tape
to be use on profile for fixing glasses.
Finish : Silver / Black Anodized
Length : 3000mm



VGP - T - 10/12mm




VGP - L - 10/12mm

ALUMINUM L PROFILE

Suitable for L joining at a common
point, (90°) transparent tape to be
use on profile for fixing glasses.
Finish : Silver / Black Anodized
Length : 3000mm

ALUMINUM HAT PROFILE

Hat Aluminum profile are developed
to make wall design visually attractive
ideal for junction of 2 different materials
Length : 3000mm
Width : 5mm / 8mm / 10mm
Finish : Silver / Black Anodized



VGP - HAT - 05/08/10

ACCESSORIES



V - L - 10 / 12mm

CLEAR L PROFILE

Suitable for L joining at a common point 3m tape to be use on profile for fixing glasses

CLEAR I PROFILE

Suitable for joining two glasses (180°) 3m tape to be use on profile for fixing glasses.
Length : 3000mm



V - I - 10 / 12mm

CLEAR T PROFILE


Suitable for joining three meeting at a common point, 3m tape to be use on profile for fixing glasses.
Length : 3000mm
Finish : Transparent




V - T - 10 / 12mm

ALUMINUM CARPET PROFILE

Variable double sided profile which bend as per height of the flooring on either side.
Finish : Silver / Black Anodized
Length : 3000mm
Width : 28mm



VGP - CP - 02



VGP - CG -12/15/19/25/38

ALUMINUM L CORNER

Provide protection to edge of wall Corner. Economical option for edge of wall corners protection.

Finish : Silver / Black Anodized
Length : 3000mm
Width :12x12/15x15/19x19/25x25/38x38

ALUMINUM CARPET EDGE PROFILE

Finish : Silver / Black Anodized
Length : 3000mm
Size : 30mm x 4.5mm



VGP - CP - 03




VGP - CP - 04

STAIR NOISE

Aluminum Profile
Available in a range of Size 3000mm
24mm X 9mm

ALUMINUM STAIR NOSE

Stair nose made for all types of staircase to prevent slipping & skirting
Finish : Silver Anodized/Color options
Length : 2700mm
Size : 50mm x 18mm



VGP - SN - 01

CLIENTS



Notes :

- The technical specification, presentation and dimensions in the illustrations and non-binding.
- We reserve all the right to make any changes to the technical specification, dimensions of the product, hence we request you to conform it with the company.
- We are not responsible for any errors occur in the printing this catalogue.
- Actual product and the printed colors of product and the surface finishes may be different, but same time it may provide useful guidelines.